



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier · Trade name: ProXL® PROBLEND 500 ML

· Article number: PROBLEND

• **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

• Application of the substance / the mixture Preparation

• 1.3 Details of the supplier of the safety data sheet • Manufacturer/Supplier: ProXL Second Avenue Chatham Kent ME4 5AU Tel: +44 (0)1634 823900 Fax: +44 (0)1634 823909 Email: info@pro-xl.co.uk

• Further information obtainable from: QHSE Department • 1.4 Emergency telephone number: Tel: +44(0) 1634 823900 (08.00 / 17.00)


+31 629058130 (24 h/d, 7 d/wk)

SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008



Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.



GB

Page 2/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

(Contd. of page 1)

GB

Trade name: ProXL® PRO BLEND 500 ML

· Hazard pictograms



· Signal word Danger

· Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· Precautionary statements

P102 Keep out of reach of children.

P260 Do not breathe spray.

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P251 Pressurized container: Do not pierce or burn, even after use.

P211 Do not spray on an open flame or other ignition source.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

P501 Dispose of contents/container in accordance with local regulations.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 115-10-6	dimethyl ether	50-75%
	\bullet F+R12	
Index number: 603-019-00-8	🚸 Flam. Gas 1, H220; Flam. Liq. 1, H224	
Reg.nr.: 01-2119472128-37-xxxx	Press. Gas C, H280	
CAS: 108-94-1	cyclohexanone	25-50%
EINECS: 203-631-1	$\underset{R10}{\bigstar} Xn R20$	
Index number: 606-010-00-7		
Reg.nr.: 01-2119453616-35-xxxx	🚸 Flam. Liq. 3, H226	_
· Additional information · For the	wording of the listed risk phrases refer to section 16	

• *Additional information:* For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available. (Contd. on page 3) Page 3/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

Trade name: ProXL® PRO BLEND 500 ML

• 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

• 5.1 Extinguishing media

· Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation Keep away from ignition sources.
- 6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 Inform respective authorities in case of seepage into water course or sewage system.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. • Information about fire - and explosion protection:

Do not spray onto a naked flame or any incandescent material.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

• Requirements to be met by storerooms and receptacles: Store in a cool location.

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from heat and direct sunlight.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

(Contd. on page 4)

(Contd. of page 2)

Page 4/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

Trade name: ProXL® PRO BLEND 500 ML

Ingredients with limit values that require monitoring at the workplace:	
115-10-6 dimethyl ether	
WEL Short-term value: 958 mg/m ³ , 500 ppm Long-term value: 766 mg/m ³ , 400 ppm	
108-94-1 cyclohexanone	
WEL Short-term value: 82 mg/m ³ , 20 ppm Long-term value: 41 mg/m ³ , 10 ppm Sk, BMGV	
Ingredients with biological limit values:	
108-94-1 cyclohexanone	
BMGV 2 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: cyclohexanol	
Additional information: The lists valid during the making were used as basis.	
 8.2 Exposure controls Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Respiratory protection: In case of brief exposure or low pollution use respiratory filter device. In case of intent use self-contained respiratory protective device. Protection of hands: Not required. Material of gloves Not required. Eye protection: Not required.	sive or longer exposu

Appearance: Form:	Aerosol	
Colour:	According to product specification	
Odour:	Characteristic	
Odour threshold:	Not determined.	
pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	Not applicable, as aerosol.	
Flash point:	< 0 °C (< 32 °F)	
-	Not applicable, as aerosol.	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	240 °C (464 °F)	
Decomposition temperature:	Not determined.	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

Trade name: ProXL® PRO BLEND 500 ML

Self-igniting:	Product is not selfigniting.	
Danger of explosion:	Product is not explosive. However, formation of explosive air, vapour mixtures are possible.	
Explosion limits:		
Lower:	1.3 Vol %	
Upper:	26.2 Vol %	
Vapour pressure at 20 °C (68 °F):	4000 hPa (3000 mm Hg)	
Density at 20 °C (68 °F):	0.742 g/cm ³ (6.192 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not applicable.	
Solubility in / Miscibility with		
water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Solvent content:		
Organic solvents:	100.0 %	
EU-VOC:	742.0 g/l	
EU-VOC in %:	100.00 %	
Solids content:	100.0 %	
9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

- · 10.1 Reactivity
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

115-10-6 dimethyl ether

Inhalative LC50 / 4 h 308 mg/m3 (rat)

108-94-1 cyclohexanone

Oral	LD50	1535 mg/kg (rat)
Dermal		948 mg/kg (rabbit)
Inhalative	LC50 / 4 h	8000 mg/m3 (rat)

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitisation: No sensitising effects known.

(Contd. on page 6)

GB

Page 6/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

(Contd. of page 5)

Trade name: ProXL® PRO BLEND 500 ML

· Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Harmful

SECTION 12: Ecological information

· 12.1 Toxicity

• Aquatic toxicity:

115-10-6 dimethyl ether

EC50 / 48 h >4000 mg/l (daphnia magna)

· 12.2 Persistence and degradability No further relevant information available.

- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- \cdot **General notes:** Generally not hazardous for water
- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13* solvents

15 01 04 metallic packaging

· Uncleaned packaging:

- · Recommendation: Non contaminated packagings may be recycled.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

- 14.1 UN-Number		
· ADR, IMDG, IATA	UN1950	
\cdot 14.2 UN proper shipping name		
ADR	1950 AEROSOLS	
·IMDG	AEROSOLS	
·IATA	AEROSOLS, flammable	
14.3 Transport hazard class(es) ADR		

Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

Trade name: ProXL® PRO BLEND 500 ML

	(Contd. of)	page
Label	2.1	
IMDG, IATA		
Class	2.1	
Label	2.1	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	
14.6 Special precautions for user	Warning: Gases.	
Danger code (Kemler):	-	
EMS Number:	F-D,S-U	
14.7 Transport in bulk according to Ann MARPOL73/78 and the IBC Code	ex II of Not applicable.	
Transport/Additional information:		
ADR		
Limited quantities (LQ)	lL	
Excepted quantities (EQ)	Code: E0	
Tuansport officer	Not permitted as Excepted Quantity 2	
Transport category Tunnel restriction code	2 D	
	υ 	
IMDG		
Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0	
Επτεριεά quantities (ΕΥ)	Not permitted as Excepted Quantity	
UN "Model Regulation":	UN1950, AEROSOLS, 2.1	

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

*Relevant phrases*H220 Extremely flammable gas.
H224 Extremely flammable liquid and vapour.
H226 Flammable liquid and vapour.
H280 Contains gas under pressure; may explode if heated.
H332 Harmful if inhaled.
R10 Flammable.
R12 Extremely flammable.
R20 Harmful by inhalation.
Department issuing MSDS: R&D legislation and regulatory advisor

(Contd. on page 8)

GB

Page 8/8

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.12.2014

Version number 3

Revision: 12.11.2014

Trade name: ProXL® PRO BLEND 500 ML

	(Contd. of page 7
Contact: QHSE Department	
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulatio International Transport of Dangerous Goods by Rail)	ons Concerning the
ICAO: International Civil Aviation Organisation	
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerni	ng the International
Carriage of Dangerous Goods by Road)	
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
LC50: Lethal concentration, 50 percent	
LD50: Lethal dose, 50 percent	
Flam. Gas 1: Flammable gases, Hazard Category 1	
Flam. Aerosol 1: Flammable aerosols, Hazard Category 1	
Press. Gas C: Gases under pressure: Compressed gas	
Flam. Liq. 1: Flammable liquids, Hazard Category 1	
Flam. Liq. 3: Flammable liquids, Hazard Category 3	
Acute Tox. 4: Acute toxicity, Hazard Category 4	
* Data compared to the previous version altered.	