





Compilation date: 20/05/2015

Revision No: 1

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SV106 ANTI-BLOOM THINNER

Product code: SV106

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.3. Details of the supplier of the safety data sheet

Company name: Unova Limited

Unit 4 Transcentral Bennet Road Reading RG2 0QX Great Britain

Tel: 01753 584500

Fax: 01753 584501

Email: sales@unovaproducts.com

1.4. Emergency telephone number

Emergency tel: 01753 584500

Section 2: Hazards identification

2.1. Classification of the substa	2.1. Classification of the substance or mixture		
Classification under CLP: Flam. Liq. 2: H225; Skin Irrit. 2: H315; Eye Irrit. 2: H319; STOT SE 3: H336; Acute Tox. 4:			
H332; Repr. 2: H361d; STOT RE 2: H373; Asp. Tox. 1: H304			
Most important adverse effects:	Highly flammable liquid and vapour. May be fatal if swallowed and enters airways.		
	Causes skin irritation. Causes serious eye irritation. Harmful if inhaled. May cause		
	drowsiness or dizziness. Suspected of damaging the unborn child. May cause damage		
	to organs through prolonged or repeated exposure.		
2.2. Label elements			
2.2. Label elements			

Label elements:

Eabor oronionto.	
Hazard statements:	H225: Highly flammable liquid and vapour.
	H304: May be fatal if swallowed and enters airways.
	H315: Causes skin irritation.
	H319: Causes serious eye irritation.
	H332: Harmful if inhaled.
	H336: May cause drowsiness or dizziness.
	H361d: Suspected of damaging the unborn child.
	H373: May cause damage to organs through prolonged or repeated exposure.

SV106 ANTI-BLOOM THINNER

 Page: 2

 Signal words:
 Danger

 Hazard pictograms:
 GHS02: Flame

 GHS07: Exclamation mark

 GHS08: Health hazard

 VVV

 VVV

 Precautionary statements:

 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

 P280: Wear protective gloves/protective clothing/eye protection.

 P301+310: IF SWALLOWED: Immediately call a POISON CENTER/doctor/.

 P302+352: IF ON SKIN: Wash with plenty of water/.

 P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

 P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

2.3. Other hazards

PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

ACETONE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
200-662-2	67-64-1	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319;	10-30%
			STOT SE 3: H336; -: EUH066	

N-BUTYL ACETATE

204-658-1	123-86-4	-	Flam. Liq. 3: H226; STOT SE 3: H336;	10-30%
			-: EUH066	

TOLUENE

203-625-9	108-88-3	-	Flam. Liq. 2: H225; Repr. 2: H361d;	10-30%
			Asp. Tox. 1: H304; STOT RE 2: H373;	
			Skin Irrit. 2: H315; STOT SE 3: H336	

XYLENE

215-535-7	1330-20-7	-	Flam. Liq. 3: H226; Acute Tox. 4: H332;	10-30%
			Acute Tox. 4: H312; Skin Irrit. 2: H315	

SV106 ANTI-BLOOM THINNER

Page: 3

BUTAN-1-OL Flam. Liq. 3: H226; Acute Tox. 4: H302; 1-10% 200-751-6 71-36-3 STOT SE 3: H335; Skin Irrit. 2: H315; 1-10% Eye Dam. 1: H318; STOT SE 3: H336

ISOBUTANOL

201-148-0	78-83-1	-	Flam. Liq. 3: H226; Acute Tox. 4: H302;	1-10%
			STOT SE 3: H335; Skin Irrit. 2: H315;	
			Eye Dam. 1: H318; STOT SE 3: H336	

4-METHYLPENTAN-2-ONE

203-550-1	108-10-1	-	Flam. Liq. 2: H225; Acute Tox. 4: H332;	1-10%
			Eye Irrit. 2: H319; STOT SE 3: H335; -:	
			EUH066	

ETHANOL

200-578-6	64-17-5	Substance with a Community	Flam. Liq. 2: H225	1-10%
		workplace exposure limit.		

ETHYL METHYL KETONE

201-159-0	78-93-3	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; -: EUH066	1-10%
-----------	---------	---	---	-------

PROPAN-2-OL

200-661-7	67-63-0	-	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336	<1%
-----------	---------	---	--	-----

METHANOL

200-659-6	67-56-1	-	Flam. Liq. 2: H225; Acute Tox. 3: H331;	<1%
			Acute Tox. 3: H311; Acute Tox. 3: H301;	
			STOT SE 1: H370	

Section 4: First aid measures

4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist

examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water

to drink immediately. Consult a doctor.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so.

4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

SV106 ANTI-BLOOM THINNER

Page: 4

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Eye bathing equipment should be available on the premises.

Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact

with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions: Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section

8 of SDS. Turn leaking containers leak-side up to prevent the escape of liquid.

6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.

Avoid the formation or spread of mists in the air.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

7.3. Specific end use(s)

Specific end use(s): No data available.

SV106 ANTI-BLOOM THINNER

Section 8: Exposure controls/personal protection

8.1. Control parameters

Hazardous ingredients:

ACETONE

Workplace exposure limits:		Re	Respirable dust		
State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL	
UK	1210 mg/m3	3620 mg/m3	-	-	
N-BUTYL ACE	ГАТЕ				
UK	724 mg/m3	966 mg/m3	-	-	
TOLUENE					
UK	191 mg/m3	384 mg/m3	-	-	
XYLENE					
UK	220 mg/m3	441 mg/m3	-	-	
BUTAN-1-OL					
UK	-	154 mg/m3	-	-	
ISOBUTANOL					
UK	154 mg/m3	231 mg/m3	-	-	
4-METHYLPEN	TAN-2-ONE				
UK	208 mg/m3	416 mg/m3	-	-	
ETHANOL					
UK	1920 mg/m3	-	-	-	
ETHYL METHY	L KETONE				
UK	600 mg/m3	899 mg/m3	-	-	
PROPAN-2-OL					
UK	999 mg/m3	1250 mg/m3	-	-	
METHANOL					
UK	266 mg/m3	333 mg/m3	-	-	

DNEL/PNEC Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Protective gloves.

Eye protection: Tightly fitting safety goggles. Ensure eye bath is to hand.

SV106 ANTI-BLOOM THINNER

Page: 6

Skin protection: Protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physi	cal and chemical properties		
State:	Liquid		
	Colourless		
Odour:	Characteristic odour		
Evaporation rate:	Moderate		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Also soluble in:	Most organic solvents.		
Viscosity:	Non-viscous		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

SV106 ANTI-BLOOM THINNER

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

ACETONE

IVN	RAT	LD50	5500	mg/kg
ORL	MUS	LD50	3000	mg/kg
ORL	RAT	LD50	5800	mg/kg

N-BUTYL ACETATE

ORL	MUS	LD50	6	gm/kg
ORL	RAT	LD50	10768	mg/kg

TOLUENE

IVN	RAT	LD50	1960	mg/kg
ORL	MUS	LD50	2	gm/kg
ORL	RAT	LD50	6900	mg/kg

XYLENE

ORL	MUS	LD50	2119	mg/kg
ORL	RAT	LD50	4300	mg/kg
SCU	RAT	LD50	1700	mg/kg

BUTAN-1-OL

IVN	RAT	LD50	310	mg/kg
ORL	MUS	LD50	2680	mg/kg
ORL	RAT	LD50	790	mg/kg

ISOBUTANOL

IVN	MUS	LD50	417	mg/kg
IVN	RAT	LD50	340	mg/kg
ORL	RAT	LD50	2460	mg/kg

4-METHYLPENTAN-2-ONE

IPR	RAT	LD50	400	mg/kg
ORL	MUS	LD50	1900	mg/kg
ORL	RAT	LD50	2080	mg/kg

SV106 ANTI-BLOOM THINNER

Page: 8

ETHANOL

IVN	RAT	LD50	1440	mg/kg
ORL	MUS	LD50	3450	mg/kg
ORL	RAT	LD50	7060	mg/kg

PROPAN-2-OL

IVN	RAT	LD50	1088	mg/kg
ORL	MUS	LD50	3600	mg/kg
ORL	RAT	LD50	5045	mg/kg
SCU	MUS	LDLO	6	gm/kg

METHANOL

IVN	RAT	LD50	2131	mg/kg
ORL	MUS	LD50	7300	mg/kg
ORL	RAT	LD50	5628	mg/kg

Relevant hazards for substance:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	INH	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated
STOT-single exposure	-	Hazardous: calculated
STOT-repeated exposure	-	Hazardous: calculated
Aspiration hazard	-	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be irritation and redness at the site of contact.

Eye contact: There may be pain and redness. The eyes may water profusely. There may be severe

pain. The vision may become blurred. May cause permanent damage.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach

pain may occur.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

.P-SV106 ANTI-BLOOM THINNER

Page: 9

Hazardous ingredients:

ACETONE

BLUEGILL (Lepomis macrochirus) LC50 8300 mg/l

12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal

company.

NB: The user's attention is drawn to the possible existence of regional or national

regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN1263

14.2. UN proper shipping name

Shipping name: PAINT or PAINT RELATED MATERIAL

14.3. Transport hazard class(es)

Transport class: 3

14.4. Packing group

Packing group: 2

14.5. Environmental hazards

Environmentally hazardous: No

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: D/E

Marine pollutant: No

.P-SV106 ANTI-BLOOM THINNER

		Faye.	10	
Transport category:	1			
Section 15: Regulatory information				
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture				
Specific regulations:				
15.2. Chemical Safety Assessm	ient			
Section 16: Other information				
Other information				
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No			
	453/2010.			
	* indicates text in the SDS which has changed since the last revision.			
Phrases used in s.2 and s.3:	EUH066: Repeated exposure may cause skin dryness or cracking.			
	H225: Highly flammable liquid and vapour.			
	H226: Flammable liquid and vapour.			
	H301: Toxic if swallowed.			
	H302: Harmful if swallowed.			
	H304: May be fatal if swallowed and enters airways.			
	H311: Toxic in contact with skin.			
	H312: Harmful in contact with skin.			
	H315: Causes skin irritation.			
	H318: Causes serious eye damage.			
	H319: Causes serious eye irritation.			
	H331: Toxic if inhaled.			
	H332: Harmful if inhaled.			
	H335: May cause respiratory irritation.			
	H336: May cause drowsiness or dizziness.			
	H361d: Suspected of damaging the unborn child.			
	H370: Causes damage to organs <or affected,="" all="" if="" known="" organs="" state=""> <state of<="" route="" th=""><th></th><th></th></state></or>			
	exposure if it is conclusively proven that no other routes of exposure cause the hazard>.			
	H373: May cause damage to organs <or affected,="" all="" if="" known="" organs="" state=""> through</or>			
	prolonged or repeated exposure <state conclusively="" exposure="" if="" is="" it="" of="" proven="" route="" th="" that<=""><th></th><th></th></state>			
	no other routes of exposure cause the hazard>.			
Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive				
	and shall be used only as a guide. This company shall not be held liable for any			
	damage resulting from handling or from contact with the above product.			

Page: 10