



MATERIAL SAFETY DATA SHEET

Compilation date: 03/06/2015

Revision No: 1

## Section 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name: SV300 THINNER

Product code: SV300

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.3. Details of the supplier of the safety data sheet

Company name: Unova Limited

Unit 4 Transcentral

Bennet Road

Reading

RG2 0QX

Great Britain

Tel: 01753 584500

Fax: 01753 584501

Email: sales@unovaproducts.com

#### 1.4. Emergency telephone number

Emergency tel: 01753 584500

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Flam. Liq. 3: H226

Most important adverse effects: Flammable liquid and vapour.

2.2. Label elements

Label elements:

Hazard statements: H226: Flammable liquid and vapour.

Signal words: Warning

Hazard pictograms: GHS02: Flame



Precautionary statements: P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking.

P233: Keep container tightly closed.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+361+353: IF ON SKIN (or hair): Take off immediately all contaminated clothing.

SV300 THINNER

Rinse skin with water/shower.

P370+378: In case of fire: Use foam, carbon dioxide, dry powder or water fog to

extinguish.

P403: Store in a well-ventilated place.

P235: Keep cool.

P501: Dispose of contents/container to accordance with national regulations.

## 2.3. Other hazards

Other hazards: In use, may form flammable / explosive vapour-air mixture.

**PBT:** This product is not identified as a PBT/vPvB substance.

## Section 3: Composition/information on ingredients

#### 3.2. Mixtures

#### Hazardous ingredients:

#### 2-METHOXY-1-METHYLETHYL ACETATE

EINECS	CAS	PBT / WEL	CLP Classification	Percent
203-603-9	108-65-6	Substance with a Community workplace exposure limit.	Flam. Liq. 3: H226	>90%

#### Section 4: First aid measures

#### 4.1. Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash

immediately with plenty of soap and water.

Eye contact: Bathe the eye with running water for 15 minutes.

Ingestion: Wash out mouth with water.

Inhalation: Consult a doctor.

#### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

## Section 5: Fire-fighting measures

#### 5.1. Extinguishing media

Extinguishing media: Alcohol resistant foam. Water spray. Carbon dioxide. Dry chemical powder.

Page: 2

SV300 THINNER

		Page:	3
5.2. Special hazards arising fro	om the substance or mixture		
Exposure hazards:	Flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture.		
5.3. Advice for fire-fighters			
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact		
	with skin and eyes.		
Section 6: Accidental release r	neasures		
6.1. Personal precautions, prot	ective equipment and emergency procedures		
Personal precautions:	Refer to section 8 of SDS for personal protection details. Notify the police and fire		
	brigade immediately. Eliminate all sources of ignition. Turn leaking containers leak-side		
	up to prevent the escape of liquid.		
6.2. Environmental precautions	3		
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.		
6.3. Methods and material for c	containment and cleaning up		
Clean-up procedures:	Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for		
	disposal by an appropriate method. Do not use equipment in clean-up procedure which		
	may produce sparks.		

6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements: Smoking is forbidden. Use non-sparking tools. Ensure there is sufficient ventilation of

the area. Avoid the formation or spread of mists in the air.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed. Keep away from

sources of ignition. Prevent the build up of electrostatic charge in the immediate area.

Ensure lighting and electrical equipment are not a source of ignition.

7.3. Specific end use(s)

Specific end use(s): No data available.

Section 8: Exposure controls/personal protection

8.1. Control parameters

SV300 THINNER

Page: 4

## Hazardous ingredients:

## 2-METHOXY-1-METHYLETHYL ACETATE

#### Workplace exposure limits:

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
UK	274 mg/m3	548 mg/m3	-	-

**Respirable dust** 

## **DNEL/PNEC** Values

DNEL / PNEC No data available.

8.2. Exposure controls

Engineering measures: Ensure there is sufficient ventilation of the area. Ensure lighting and electrical

equipment are not a source of ignition.

Respiratory protection: Respiratory protection not required.

Hand protection: Protective gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Protective clothing.

## Section 9: Physical and chemical properties

# 9.1. Information on basic physical and chemical properties State: Liquid

Colour:	Colourless		
Odour:	Characteristic odour		
Evaporation rate:	Moderate		
Oxidising:	No data available.		
Solubility in water:	No data available.		
Also soluble in:	Most organic solvents.		
Viscosity:	Non-viscous		
Boiling point/range°C:	No data available.	Melting point/range°C:	No data available.
Flammability limits %: lower:	No data available.	upper:	No data available.
Flash point°C:	No data available.	Part.coeff. n-octanol/water:	No data available.
Autoflammability°C:	No data available.	Vapour pressure:	No data available.
Relative density:	No data available.	pH:	No data available.
VOC g/l:	No data available.		

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

#### SV300 THINNER

#### 10.2. Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

#### 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

## 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

#### Section 11: Toxicological information

11.1. Information on toxicological effects

#### Hazardous ingredients:

#### 2-METHOXY-1-METHYLETHYL ACETATE

IPR	MUS	LD50	750	mg/kg
ORL	RAT	LD50	8532	mg/kg

Toxicity values: No data available.

#### Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: No symptoms.

## Section 12: Ecological information

#### 12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: Biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4. Mobility in soil

Mobility: Readily absorbed into soil.

## .P-SV300 THINNER

12.5. Results of PBT and vPvB	assessment				
PBT identification:	This product is not identified as a PBT/vPvB substance.				
12.6. Other adverse effects					
Other adverse effects:	Neoligible ecotovicity				
Section 13: Disposal consider	Other adverse effects: Negligible ecotoxicity.				
Section 13. Disposal consider					
13.1. Waste treatment methods					
Disposal operations:	Transfer to a suitable container and arrange for collection by specialised disposal				
	company.				
NB:	The user's attention is drawn to the possible existence of regional or national				
	regulations regarding disposal.				
Section 14: Transport informa	tion				
14.1. UN number					
UN number:	LIN1263				
14.2. UN proper shipping name					
-					
Shipping name: PAINT or PAINT RELATED MATERIAL  14.3. Transport hazard class(es)					
Transport class:	3				
14.4. Packing group					
Packing group:	1				
14.5. Environmental hazards					
Environmentally hazardous:	No Marine pollutant: No				
14.6. Special precautions for u	ser				
Special precautions:	No special precautions.				
Tunnel code:	D/E				
Transport category:	1				
Section 15: Regulatory information					
15.1. Safety, health and enviro	nmental regulations/legislation specific for the substance or mixture				
Specific regulations:	Not applicable.				
15.2. Chemical Safety Assessm	nent				
Section 16: Other information					
Other information					
Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No				
Special precautions:       No special precautions.         Tunnel code:       D/E         Transport category:       1         Section 15: Regulatory information       15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture         Specific regulations:       Not applicable.         15.2. Chemical Safety Assessment       Section 16: Other information					

 $^{\ast}$  indicates text in the SDS which has changed since the last revision.

Page: 6

.P-SV300 THINNER

Phrases used in s.2 and s.3: H226: Flammable liquid and vapour.

Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.